

For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	Х	1	10000303*	5,500	6	26 lbs.
4	Х	2	10003051*	2,760	4	26 lbs.
4	Х	3	10000302*	2,000	4	26 lbs.
4	Х	6	10000301*	1,000	4	26 lbs.
4	Х	6.50	10000300*	900	4	26 lbs.

^{*} Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1	10000298*	5,500	8	26 lbs.
2.25	Х	1.25	10000297*	4,350	8	27 lbs.
3	Х	1	10000296*	5,500	6	26 lbs.
3	Х	2	10000295*	2,750	6	26 lbs.
4	Х	2.50	10000294*	2,280	4	26 lbs.
4	Х	3	10000293*	2,000	4	26 lbs.
4	Х	4	10000292*	1,500	4	26 lbs.
4	Х	6	10000290*	1,000	4	26 lbs.
4	Х	6.50	10000289*	900	4	26 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Χ	1	10000288*	5,500	10	31 lbs.
3	Х	1	10000287*	5,500	6	27 lbs.
3	Х	2	10000286*	2,750	6	27 lbs.
3	Х	5	10010242*	1,200	6	27 lbs.
3.5	Х	1	10010243*	5,470	4	27 lbs.
4	Х	1	10010244*	5,470	4	27 lbs.
4	Х	2	10000285*	2,750	4	23 lbs.
4	Х	3	10000284*	2,000	4	27 lbs.
4	Х	4	10000283*	1,500	4	24 lbs.
4	Х	6	10000281*	1,000	4	27 lbs.
4	Х	6.50	10000280*	900	4	27 lbs.

^{*} Perforation between labels

Z-Perform 2000T Fanfolded

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

	S	ize			Labels	Roll/	Carton
W		Χ	L	Part #	Per Roll	Carton	Weight
4		Χ	6	10000299*	2,000	2	13 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Perform 2000T Floodcoated

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

	Size				Labels	Rolls/	Carton
W	X	L	Part #	Color	Per Roll	Carton	Weight
4	Х	3	10006209-1*	Yel.	1,840	4	27 lbs.
4	х	3	10006209-3*	Pink	1,840	4	27 lbs.
4	Х	6	10006208*	Blue	1,000	4	27 lbs.
4	Х	6	10006208-1*	Yel.	1,000	4	27 lbs.
4	Х	6	10006208-2*	Grn.	1,000	4	27 lbs.
4	х	6	10006208-4*	Org.	1,000	4	27 lbs.
4	х	6	10006208-5*	Red	1,000	4	27 lbs.
4	х	6	10006208-7*	Fl.Or.	1,000	4	27 lbs.
4	х	6.5	10005725-1*	Yel.	900	4	27 lbs.

^{*} Perforation between labels Colors/PMS: Fluorescent Red/805, Fluorescent Orange/804, Fluorescent Pink/806, Blue/290, Yellow/Pantone Yellow, Green/365, Red/185, Pink/1767, Orange/021

Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated, 7.5 mil paper tag.

3" ID 8" OD

	Size			Tags	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	Х	1.25	67251*^	3,750	6	24 lbs.
3.25	Х	5	65156*	1,030	6	26 lbs.
6	Х	3	18504*	1,610	2	11 lbs.

All tags contain side sensing notch. ^ Contains a left-centered hole and right vertical perforation *Perforation between tags

	Size			Tags	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3.25	Х	7.38	67850*	860	4	25 lbs.

Fanfold and side sensing notch *Perforation between tags



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

	Size			Labels	Rolls/	Carton
W	х	L	Part #	Per Roll	Carton	Weight
1.50	Х	1	88686	5,120	14	29 lbs.
2	Х	1	72275	4,620	8	22 lbs.
2.25	Х	1.25	72276	3,770	8	24 lbs.
2.25	Х	1.25	10002635*	3,770	8	16 lbs.
2.25	Х	2.50	72277	1,980	8	24 lbs.
2.25	Х	4	72278	1,260	8	25 lbs.
3	Х	1	74569	5,120	6	24 lbs.
3	Х	2	98958*	2,710	6	26 lbs.
3	Х	3	84086	1,840	6	27 lbs.
3.50	Х	1	75856	5,120	6	29 lbs.
4	Х	1.50	800740-155*	4,225	4	25 lbs.
4	Х	2.50	72344	2,220	4	24 lbs.
4	Х	3	800740-305*	2,238	4	25 lbs.
4	Х	4	82801	1,400	4	25 lbs.
4	Х	6	72345	950	4	25 lbs.
4	Х	6	98959*	940	4	23 lbs.
4	Х	6	83398**	720	6	28 lbs.
4	Х	6.50	117945	870	4	25 lbs.

^{*} Perforation between labels ** Fanfold



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. 3" ID 8" OD

V		Size			Labels	Rolls/	Carton
1.50	W			Part #			
2 x 1 72281 5,180 10 29 lbs. 2.25 x 0.75 800622-075* 7,995 4 14 lbs. 2.25 x 1.25 800622-125* 5,087 4 16 lbs. 2.25 x 1.25 72283 4,240 8 26 lbs. 2.25 x 1.25 72282 4,240 8 31 lbs. 3 x 1 72284 5,180 6 25 lbs. 3 x 1 72284 5,180 6 25 lbs. 3 x 1 72285 2,740 6 27 lbs. 3 x 5 72993 1,100 6 28 lbs. 3 x 5 72993 1,100 6 28 lbs. 3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5.50 72286 1,040 6 30 lbs. <t< td=""><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td></t<>			1				
2.25 x 0.75 800622-075° 7.995 4 14 lbs. 2.25 x 1.25 800622-125° 5,087 4 16 lbs. 2.25 x 1.25 72283 4,240 8 26 lbs. 2.25 x 1.25 72283 4,240 8 31 lbs. 2.25 x 1.25 72282 4,240 8 31 lbs. 3 x 1 72284 5,180 6 25 lbs. 3 x 1 72285 2,740 6 27 lbs. 3 x 5 72993 1,100 6 28 lbs. 3 x 6 81397° 910 6 26 lbs. 3 x 6 81397° 910 6 26 lbs. 3 .25 x 2 72286 1,040 6 30 lbs. 3 .25 x 5,50 72286 1,040 6 30 lbs. 3 .25 x 5 5,00 72286 1,040 6 30 lbs. 3 .25 x 5,831 72287 Cont. 6 35 lbs. 3 .50 x 1 72288 5,180 6 26 lbs. 4 x 1 92071° 4,970 4 23 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 72290 2,220 4 26 lbs. 4 x 2 50 94681° 2,130 4 25 lbs. 4 x 3 800640-165° 2,238 4 25 lbs. 4 x 3 800640-165° 2,238 4 25 lbs. 4 x 4 800640-165° 1,870 4 23 lbs. 4 x 5 800640-305° 2,238 4 26 lbs. 4 x 6 72295° 900 6 35 lbs. 4 x 6 72295° 900 6 36 lbs. 5 800640-305° 2,238 4 26 lbs. 5 800640-305° 2,238 4 26 lbs. 5 800640-505° 1,365 4 26 lbs. 5 800640-405° 1,696 4 26 lbs. 6 8 8 98963° 690 4 26 lbs. 6 8 8 98963° 690 4 23 lbs. 6 8 8 98963° 690 4 23 lbs. 6 8 8 94883° 690 2 17 lbs. 6 8 8 94883° 690 2 17 lbs.			1				
2.25 x 1.25 800622-125* 5,087 4 16 lbs. 2.25 x 1.25 72283 4,240 8 26 lbs. 2.25 x 1.25 72282 4.240 8 31 lbs. 3 x 1.25 72284 5,180 6 25 lbs. 3 x 1 72284 5,180 6 25 lbs. 3 x 1 72285 2,740 6 27 lbs. 3 x 2 72293 1,100 6 28 lbs. 3 x 5 72993 1,100 6 28 lbs. 3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5.50 72286 1,040 6 30 lbs. 3.25 x 5.831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. <t< td=""><td></td><td></td><td>0.75</td><td></td><td></td><td></td><td></td></t<>			0.75				
2.25 x 1.25 72283 4,240 8 26 lbs. 2.25 x 2 800622-205* 3,292 4 16 lbs. 2.75 x 1.25 72282 4,240 8 31 lbs. 3 x 1 72284 5,180 6 25 lbs. 3 x 2 72285 2,740 6 27 lbs. 3 x 5 72993 1,100 6 28 lbs. 3 x 6 81397* 910 6 26 lbs. 3.25 x 5,50 72286 1,040 6 30 lbs. 3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1 92071* 4,970 4 23 lbs.						4	16 lbs.
2.25 x 2 800622-205* 3,292 4 16 lbs. 2.75 x 1.25 72282 4,240 8 31 lbs. 3 x 1 72284 5,180 6 25 lbs. 3 x 2 72285 2,740 6 27 lbs. 3 x 5 72993 1,100 6 28 lbs. 3 x 6 81397* 910 6 26 lbs. 3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5,50 72286 1,040 6 30 lbs. 3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1,50 800640-155* 4,225 4 26 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 72290 2,220 4 25 lbs. 4 x 3 800640-305* 1,870 4 25 lbs. 4 x 4 800640-305* 1,896 4 26 lbs. 4 x 5 800640-405* 1,896 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72394* 950 4 26 lbs. 4 x 6 72294* 900 6 33 lbs. 5 x 5,831 72296 8 4 26 lbs. 5 x 5,831 72290 2,220 4 25 lbs. 6 x 4 x 5 800640-505* 1,365 4 26 lbs. 7 x 6 72294* 950 4 26 lbs. 7 x 7 x 7 x 7 x 7 x 7 x 7 x 7 x 7 x 7 x					·	8	
2.75 x 1.25 72282 4,240 8 31 lbs. 3 x 1 72284 5,180 6 25 lbs. 3 x 2 72285 2,740 6 27 lbs. 3 x 5 72993 1,100 6 28 lbs. 3 x 6 81397* 910 6 26 lbs. 3 .25 x 2 72286 1,040 6 30 lbs. 3.25 x 5.50 72286 1,040 6 30 lbs. 3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 50 94681* 2,130 4 23 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 800640-405* 1,666 4 26 lbs. 4 x 5 5 800640-505* 1,666 4 26 lbs. 4 x 6 72295* 90 6 35 lbs. 4 x 6 72296* 90 6 35 lbs. 4 x 8 6 72296* 90 6 35 lbs. 4 x 8 6 72296* 90 6 35 lbs. 4 x 9 6 72296 90 6 35 lbs. 4 x 9 6 72296 90 6 35 lbs. 4 x 1 900640-305* 2,238 4 25 lbs. 4 x 1 900640-305* 1,666 4 26 lbs. 4 x 1 900640-905* 1,666 4 26 lbs. 4 x 1 1 94682* 950 4 26 lbs. 4 x 1 1 94682* 950 4 26 lbs. 4 x 1 1 94682* 950 4 26 lbs. 5 x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					·		
3 x 1 72284 5,180 6 25 lbs. 3 x 2 72285 2,740 6 27 lbs. 3 x 2 72285 2,740 6 27 lbs. 3 x 5 72293 1,100 6 28 lbs. 3 x 6 81397* 910 6 26 lbs. 3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5,50 72286 1,040 6 30 lbs. 3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2 2,50 94681* 2,130 4 23 lbs. 4 x 3 3 72291 1,870 4 25 lbs. 4 x 3 3 800640-305* 2,238 4 25 lbs. 4 x 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 5 5 800640-505* 1,365 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72296* 840 4 25 lbs. 4 x 6 72296* 900 6 35 lbs. 4 x 7 6 72296* 900 6 35 lbs. 4 x 8 98963* 690 4 26 lbs. 4 x 8 10 94682* 550 4 23 lbs. 4 x 8 10 94682* 550 4 23 lbs. 4 x 8 13 72297 440 4 23 lbs. 5 x 6 72296* 900 6 35 lbs. 5 x 5,831 72290 6 880 4 26 lbs.		Х					
3 x 2 72285 2,740 6 27 lbs. 3 x 5 72993 1,100 6 28 lbs. 3 x 6 81397* 910 6 26 lbs. 3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5.50 72286 1,040 6 30 lbs. 3.25 x 5.831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 806640-155* 4,225 4 26 lbs. 4 x 1.50 806640-155* 4,225 4 26 lbs. 4 x 2.50 94881* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs.							
3 x 5 72993 1,100 6 28 lbs. 3 x 6 81397* 910 6 26 lbs. 3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5.50 72286 1,040 6 30 lbs. 3.25 x 5.831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 80640-36* 2,238 4 25 lbs.		Х	2				
3 x 6 81397* 910 6 26 lbs. 3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5,50 72286 1,040 6 30 lbs. 3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs.				72993			
3.25 x 2 72974 2,700 6 30 lbs. 3.25 x 5.50 72286 1,040 6 30 lbs. 3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 2.50 80640* 15* 4,225 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 80640*305* 2,238 4 25 lbs. 4 x 4 80660*405* 1,696 4			6				
3.25 x 5.50 72286 1,040 6 30 lbs. 3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 80640-305* 2,238 4 25 lbs. 4 x 4 80640-305* 1,365 4 26 lbs. <		Х					
3.25 x 5,831 72287 Cont. 6 35 lbs. 3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 80640-155* 4,225 4 26 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 80640-305* 2,238 4 25 lbs. 4 x 4 80640-305* 1,696 4 26 lbs. 4 x 4 80640-505* 1,365 4 26 lbs.			5.50		•		
3.50 x 1 72288 5,180 6 28 lbs. 4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 2.740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 2.50 72291 1,870 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 80640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x			5,831	72287	•		
4 x 1 92071* 4,970 4 23 lbs. 4 x 1.50 800640-155* 4,225 4 26 lbs. 4 x 2 72289 2,740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 3 800640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72295** 900 6 35 lbs.							
4 x 2 72289 2,740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6.50 73298* 840 4 26 lbs.		Х	1				
4 x 2 72289 2,740 4 23 lbs. 4 x 2.50 94681* 2,130 4 23 lbs. 4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6.50 73298* 840 4 26 lbs.	4	Х	1.50	800640-155*	4,225	4	26 lbs.
4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4	4	Х		72289		4	23 lbs.
4 x 2.50 72290 2,220 4 25 lbs. 4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4	4	Х	2.50	94681*	2,130	4	23 lbs.
4 x 3 72291 1,870 4 25 lbs. 4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8 98963* 690 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4	4			72290		4	
4 x 3 800640-305* 2,238 4 25 lbs. 4 x 4 800640-405* 1,696 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 88 4 26 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4	4			72291	·		
4 x 4 26 lbs. 4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8 9863* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440	4	Х	3	800640-305*		4	25 lbs.
4 x 4 72292 1,410 4 23 lbs. 4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8 98963* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x </td <td>4</td> <td></td> <td>4</td> <td></td> <td></td> <td>4</td> <td></td>	4		4			4	
4 x 5 800640-505* 1,365 4 26 lbs. 4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8.50 72296 880 4 26 lbs. 4 x 8 98963* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5	4	Х	4	72292		4	23 lbs.
4 x 6 72353 950 4 26 lbs. 4 x 6 72295** 900 6 35 lbs. 4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8 98963* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2,500 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x <td>4</td> <td></td> <td>5</td> <td>800640-505*</td> <td>1,365</td> <td>4</td> <td>26 lbs.</td>	4		5	800640-505*	1,365	4	26 lbs.
4 x 6 72294* 950 4 26 lbs. 4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8 98963* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	6	72353		4	
4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8 98963* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	6	72295**	900	6	35 lbs.
4 x 6.50 73298* 840 4 25 lbs. 4 x 6.50 72296 880 4 26 lbs. 4 x 8 98963* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	6	72294*	950	4	26 lbs.
4 x 8 98963* 690 4 23 lbs. 4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	6.50	73298*	840	4	25 lbs.
4 x 10 94682* 550 4 23 lbs. 4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	6.50	72296	880	4	26 lbs.
4 x 13 72297 440 4 25 lbs. 4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	8	98963*	690	4	23 lbs.
4 x 5,592 98962 Cont. 4 23 lbs. 5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	10	94682*	550	4	23 lbs.
5 x 2.50 72298 2,220 4 30 lbs. 5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	13	72297	440	4	25 lbs.
5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	4	Х	5,592	98962	Cont.	4	23 lbs.
5 x 6 72301 960 4 31 lbs. 5 x 5,831 72300 Cont. 4 32 lbs. 6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	5	Х	2.50	72298			30 lbs.
6 x 4 72354 1,410 2 18 lbs. 6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	5	Х				4	31 lbs.
6 x 4 73909* 1,360 2 17 lbs. 6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	5	Х	5,831	72300	Cont.	4	32 lbs.
6 x 8 94683* 690 2 17 lbs. 6.50 x 4 72302 1,410 2 18 lbs.	6	Х	4	72354	1,410	2	18 lbs.
6.50 x 4 72302 1,410 2 18 lbs.	6	Х	4	73909*	1,360	2	17 lbs.
	6	Х	8	94683*	690	2	17 lbs.
	6.50	Х		72302	1,410	2	18 lbs.



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
4	Х	6	10005486*	1000	4	27 lbs.

^{*} Perforation between labels

Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil, paper tag.

3" ID 8" OD

	Size			Tags	Rolls/	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
4	Х	6	72352*	860	4	22 lbs.

Tags have side sensing notch. * Perforation between tags.

Z-Select 4000T All-Temp

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

	Siz	e		Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	5.50	72305	1,050	10	31 lbs.
2.75	Х	1.25	72369	4,240	8	32 lbs.
3	Х	5	97477*	1,100	6	26 lbs.
3.25	Х	5.50	72371	1,040	6	32 lbs.
3.25	Х	5,831	72372	Cont.	6	35 lbs.
3.50	Х	1	72373	5,180	6	30 lbs.
4	Х	2.50	72374	2,220	4	25 lbs.
4	Х	6	72377	950	4	25 lbs.
4	Х	6	72376*	950	4	25 lbs.
4	Х	6.50	72378	880	4	25 lbs.
5	Х	3	94684*	1,760	4	28 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
1	Х	0.5	10008510*	9,420	4	9 lbs.
1.5	Х	0.5	10008511*	9,420	4	9 lbs.
2	Х	1	10008512*	5,570	4	12 lbs.
2.75	Х	1.25	10008513*	4,270	4	16 lbs.
3	Х	1	10002633*	5,240	6	30 lbs.
3	Х	2	10008514*	2,950	4	20 lbs.
3	Х	3	10008515*	1,880	4	20 lbs.
4	Х	2	10002634*	2,950	4	32 lbs.
4	Х	2.5	10008516*	2,240	4	32 lbs.
4	Х	4	10008517*	1,520	4	32 lbs.
4	Х	6	10008518*	960	4	32 lbs.

^{*} Perforation between labels

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

	Size	е		Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
1.25	Χ	0.25	65588	15,710	16	29 lbs.
1.50	Х	0.50	65590	9,420	14	32 lbs.
1.75	Х	0.75	18180*	7,160	12	37 lbs.
2	Х	0.375	83312	10,000	10	25 lbs.
2	Х	0.50	83311	10,000	10	32 lbs.
2	Х	1	17156*	5,570	8	32 lbs.
2	Х	1.25	65585	4,270	10	32 lbs.
2	Х	4	68431	1,570	10	32 lbs.
2.50	Х	0.50	94686*	10,020	8	32 lbs.
2.75	Х	1.25	65587	4,270	8	34 lbs.
3	Х	1	65677	5,240	6	30 lbs.
3	Х	2	94982*	2,950	6	30 lbs.
3	Х	3	65586	1,880	6	29 lbs.
3.50	Х	1	94687*	5,570	6	42 lbs.
4	Х	2	18951*	2,950	4	32 lbs.
4	Х	2.50	65816	2,240	4	32 lbs.
4	Х	4	94688*	1,520	4	32 lbs.
4	Х	6	66458	960	4	32 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
1.50	Х	0.50	10002621*	9,420	8	18 lbs.
2	Х	0.50	10002622*	10,000	10	32 lbs.
2	Х	1	10002623*	5,570	10	32 lbs.
3	Х	1	10002625*	5,240	6	30 lbs.
3	Х	3	10002626*	1,880	6	29 lbs.
4	Х	2.50	10002627*	2,240	4	32 lbs.
4	Х	6	10002628*	960	4	32 lbs.

^{*} Perforation between labels

Z-Ultimate 4000T High Tack White

A thermal transfer, pearl white, gloss polyester label with a high-tack permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1	10008521*	4,300	4	12 lbs.
3	Х	2	10008520*	2,280	4	20 lbs.
4	Х	6	10008519*	790	4	32 lbs.

^{*} Perforation between labels

Z-Supreme 4000T White

A thermal transfer, white gloss, polyimide label with a high-temp permanent acrylic adhesive that provides resistance to temperatures up to 500°F.

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
0.75	Х	0.25	10008527*	12,740	1	2 lbs.
1.25	Х	0.25	10008528*	12,740	1	2 lbs.
1.50	Х	0.25	10008529*	12,740	1	2 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	17155*	4,680	8	22 lbs.
2.75	Х	1.25	66884	3,970	4	34 lbs.
3	Х	1	05265	4,350	6	32 lbs.
3	Х	2	66886	2,230	6	30 lbs.
3.25	Х	5.50	66885	870	6	32 lbs.
4	Х	3	10008531*	1,420	4	32 lbs.
4	Х	6	10008530*	720	4	32 lbs.
5	Х	8	18801*	650	4	27 lbs.

^{*} Perforation between labels

8000T Tuff 7.5mil Tag

Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.5 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID 8" OD

	Size			Tags	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
1	Х	10	69531*	1,920	4	21 lbs.

^{*} Perforation between tags (4 across)

Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

Size				Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
6.625	Х	6	10004425*	660	2	20 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: S600, S4M, Z4MPlus, Z6MPlus, ZM400, ZM600, 105SL, 2746e, 110XillIPlus, 140XillIPlus, 170XillIPlus, 220XillIPlus, 110Xi4, 140Xi4, 170Xi4, 220Xi4

8000T Heat Seal Kit

A glossy, white, thermoplastic label with excellent smear/scratch resistance that can withstand heat up to 290° F. This kit comes with a specially matched resin ribbon that will survive 50 industrial bleach wash cycles.

3" ID 8" OD

				Labels	Rolls/
W	X	L	Part #	Per Roll	Kit
2.5	Х	0.75	10002539*	4,800	3
3.25	Х	1.125	10002540*	3,200	3

^{*} Labels have perforations and sensing notches. Kit includes 3 rolls of labels and 1 resin ribbon roll Note: Minimum Order – 1 kit

Z-Xtreme 5000T Kit

A thermal transfer, white, coated matte polyester label with a high-tack acrylic adhesive. Kit includes Zebra's Image Lock™ resin ribbon, making it the right choice for the toughest and harshest applications.

3" ID 8" OD

				Labels	Rolls/
W	X	L	Part #	Per Roll	Kit
0.9063	Х	0.75	10007911K	5,840	2

Kit includes 2 rolls of labels and 1 roll of Image Lock Ribbon Note: Minimum Order – 1 kit



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	10010028*	2,340	6	10 lbs.
3	Х	2	10010029*	1,240	6	11 lbs.
3	Х	3	10010030*	840	6	11 lbs.
4	Х	2	10010031*	1,240	6	12 lbs.
4	Х	3	10010032*	840	6	12 lbs.
4	Х	4	10010033*	640	6	12 lbs.
4	Х	6	10010034*	430	6	12 lbs.

^{*} Perforation between labels

Z-Perform 2000D Floodcoated

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

	Size				Labels	Rolls/	Carton
W	X	L	Part #	Color	Per Roll	Carton	Weight
4	Х	6	10010035*	Yel.	430	6	12 lbs.
4	Х	6	10010035-1*	Grn.	430	6	12 lbs.
4	Х	6	10010035-2*	Org.	430	6	12 lbs.
4	Х	6	10010035-3*	Red	430	6	12 lbs.

^{*} Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/ 365, Red/185, Orange/021

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1	10005850*	2,490	6	6 lbs.
4	Х	2	10005851*	1,320	6	15 lbs.
4	Х	3	10005852*	890	6	15 lbs.
4	Х	6	10005853*	460	6	15 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
1	Х	3	10010036*	840	6	6 lbs.
1.20	Х	0.85	10010037*	2,710	6	6 lbs.
1.25	Х	1	10010038*	2,340	6	6 lbs.
2	Х	1	10010039*	2,340	4	6 lbs.
2.25	Х	0.50	10010040*	4,200	4	6 lbs.
2.25	Х	0.75	800262-075*	3,315	12	20 lbs.
2.25	Х	1.25	800262-125*	2,100	12	20 lbs.
2.25	Х	2	800262-205*	1,370	12	20 lbs.
2.25	Х	2.50	10010041*	1,000	4	6 lbs.
2.25	Х	3	10010042*	840	6	10 lbs.
2.25	Х	4	800262-405*	700	12	20 lbs.
3	Х	1	10010043*	2,340	6	11 lbs.
3	Х	2	10010044*	1,240	6	11 lbs.
4	Х	1	10010045*	2,340	6	12 lbs.
4	Х	1.25	800264-125*	2,100	12	28 lbs.
4	Х	1.50	10010046*	1,620	6	12 lbs.
4	Х	2	10010047*	1,240	6	12 lbs.
4	Х	2.50	10010048*	1,000	6	12 lbs.
4	Х	3	800264-305*	930	12	30 lbs.
4	Х	4	800264-405*	700	12	30 lbs.
4	Х	5	800264-505*	565	12	30 lbs.
4	Х	6	10010049	475	6	15 lbs.
4	Х	6	800264-605*	475	12	30 lbs.

^{*} Perforation between labels

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.38	Χ	1	10010050*	2,340	6	10 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels

	Size			Labels	Rolls	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2.25	Х	1.25	10010051*	1,910	6	10 lbs.

Labels have a center vertical slit creating two 1.125" x 1.25" labels. * Perforation between labels

Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID 5" OD

Siz	ze			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
 2.375	Х	1	10010052*	2,260	6	10 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
1.188	Х	0.84	10009522*	3,000	6	6 lbs.
1.25	Х	1	10009523*	2,580	6	10 lbs.
1.5	Х	1	83258*	2,260	8	8 lbs.
2	Х	1	83259*	2,260	8	8 lbs.
2.25	Х	0.75	10009524*	3,320	6	10 lbs.
2.25	Х	1.25	800272-125*	2,100	12	20 lbs.
2.25	Х	2	10009525*	1370	6	11 lbs.
2.25	Х	3	10009526*	930	6	12 lbs.
2.25	Х	4	10009527*	700	6	13 lbs.
2.75	Х	1.25	83260*	1,850	4	7 lbs
3	Х	1	10009528*	2,580	6	8 lbs.
3	Х	2	10009529*	1,370	6	15 lbs.
4	Х	1	83340*	2,260	4	8 lbs.
4	Х	1.50	800274-155*	1,790	12	30 lbs.
4	Х	2	10009530*	1,370	6	15 lbs.
4	Х	3	800274-305*	930	12	30 lbs.
4	Х	3	83262	810	4	9 lbs.
4	Х	4	800274-405*	700	12	30 lbs.
4	Х	5	10009531*	570	6	15 lbs.
4	Х	6	82868	420	4	15 lbs.
4	Х	6	800274-605*	475	12	30 lbs.
4	Х	6.50	83257*	380	4	15 lbs.
* Danfamation Lat			·	· ·		

^{*} Perforation between labels

2.38	Х	1	10005848*	2,580	6	5 lbs.
W	Х	L	Part #	Per Roll	Carton	Weight
	Size			Labels	Rolls/	Carton

Labels have a center vertical slit creating two 1.1875" x 1.00" labels.

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
4	Х	6	10005849*	430	6	15 lbs.

^{*} Perforation between labels

^{*} Perforation between labels



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

Z-Select 4000D 7.5 mil Tag

A premium, direct thermal, bright white, coated, 7.5 mil, paper tag.

	Siz	е	Tags		Rolls/	Carton	
W	X	L	Part #	Per Roll	Carton	Weight	
1.25	Х	2.25	10010053*^	980	6	4 lbs.	
2.25	Х	1.37	10010054*^	1,600	6	6 lbs.	
3.25	Х	1.875	10010055*	1,170	6	8 lbs.	
4	Х	3	10010056*	730	4	10 lbs.	



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	0.50	18943*	4,550	8	20 lbs.
2	Х	1	17157*	2,530	12	20 lbs.
2	Х	1.25	18940*	2,070	8	12 lbs.
3	Х	1	18939*	2,530	8	12 lbs.
3	Х	3	18942*	910	8	13 lbs.
4	Х	2	18950*	1,340	4	15 lbs.
4	Х	6	18941*	460	4	15 lbs.

^{*} Perforation between labels

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

	Size Labels		Labels	Rolls/	Carton	
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	10002629*	2,530	8	20 lbs.
3	Х	1	10002630*	2530	6	12 lbs.
4	Х	2	10002631*	1340	4	15 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
1.50	Х	0.50	18930*	3,780	8	12 lbs.
2	Х	0.50	18928*	3,780	8	12 lbs.
2	Х	1	17154*	2,100	8	12 lbs.
2	Х	1.25	18925*	1,720	8	12 lbs.
3	Х	1	18924*	2,100	8	12 lbs.
3	Х	3	18927*	760	8	13 lbs.
4	Х	2	18932*	1,110	4	13 lbs.
4	Х	2.50	18929*	900	4	13 lbs.
4	Х	6	18926*	390	4	13 lbs.

^{*} Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.25	Х	1.25	10010063*	2,000	6	11 lbs.

^{*} Perforation between labels

PolyPro 4000D

Jewelry Butterfly Label

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.20	Х	0.50	10010062^	4,400	6	11 lbs.

[^] Label has flaps



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

8000D Jewelry

Jewelry Butterfly Label

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultra violet light. 1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.20	Х	0.50	10010064	3,510	6	11 lbs.
2.20	Х	0.50	10010065^	3,510	6	12 lbs.

Labels are equipped with black mark sensing

8000T Jewelry

Jewelry Butterfly Label

A thermal transfer, white, polypropylene label with a permanent acrylic adhesive. Offers excellent durability and chemical resistance.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.20	Х	0.50	10010066	3,510	6	12 lbs.
2.20	Х	0.50	10010067^	3,510	6	12 lbs.

Labels are equipped with black mark sensing

^ Label with flaps

8000D Near-IR

Parcel Shipping Label

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
4	Х	2.25	10010059*	1,060	4	10 lbs.
4	Х	6	10010060*	410	4	10 lbs.
4	Х	8	10010061*	310	4	10 lbs.

^{*} Perforation between labels

[^] Label with flaps



For use with the following Zebra printers: G-Series, 2824 Plus, LP/TLP 2824 Series, LP/TLP 2844 Series, TLP 3842, TLP 3844-Z, H 2824

8000T Cling Clear

A thermal transfer, ding vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	10003864*	1,410	8	10 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

8000T Cling White

A thermal transfer, ding vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	10003860*	1,410	8	10 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: QL and QL Plus series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2.5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.90	Х	1	LD-R3TU5B^^	575	36	14 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

8000D Linerless

(requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent acrylic adhesive.

0.75" ID 2.2" OD

Size				Rolls/	Carton	
W	X	L	Part #	Length	Carton	Weight
2	Х	Cont.	LD-R2LS5W	65'	36	16 lbs.

1.375" ID 2.5" OD

	Size				Rolls/	Carton
W	X	L	Part #	Length	Carton	Weight
3	Х	Cont.	LD-R3LF7Q	65'	36	22 lbs.

0.5" ID 2.5" OD

	Size					Carton
W	Х	L	Part #	Length	Carton	Weight
4	Х	Cont.	LD-R4LF5P	85'	20	23 lbs.

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the following Zebra printers: QL, QL Plus and RW series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1	LD-R7MU5P^^	350	36	7 lbs.

^{^^} Labels are equipped with black mark sensing

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	LD-R7BL5B^^	350	36	7 lbs.

^{^^} Labels are equipped with black mark sensing

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the following Zebra printers: P4T, QL, QL Plus, and RW series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	LD-R2AL5B^^	280	36	7 lbs.
2	Х	2	LD-R7AO5B^^	185	36	7 lbs.
2	Х	3	LD-R7AM5R^^	125	36	8 lbs.

^{^^} Labels are equipped with black mark sensing

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

0.75" ID 2.2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	Х	2	10001962*	210	36	18 lbs.

^{*} Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 2" OD

2	Х	1.25	LD-R2BF5W^^	280	36	8 lbs.
W	Х	L	Part #	Per Roll	Carton	Weight
	Size			Labels	Rolls/	Carton

^{^^} Labels are equipped with black mark sensing

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the following Zebra printers: P4T, QL and QL Plus series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2.5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
4	Х	2	LD-R2AQ5J*^^	300	36	23 lbs.
4	Х	3	LD-R6AO5B*^^	200	36	23 lbs.
4	Х	4	LD-R3AK5B*^^	160	36	24 lbs.
4	х	6	LD-R4AW5B*^^	105	36	24 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

0.75" ID 2.5" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2.94	Х	4.94	LD-R6AD5W^^	130	36	18 lbs.
3	Х	1.75	LD-R3AT5F*^^	350	36	18 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the Zebra P4T printer

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

0.75" ID 2.6" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
4	Х	6	10008549^^	110	16	17 lbs.

^{^^} Labels are equipped with black mark sensing

Z-Select 4000T 5.0 mil Tag

A premium, thermal transfer, bright white, coated, 5.0 mil, paper tag.

0.75" ID 2.6" OD

	Size			Tags	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
4	Х	70'	10008554	N/A	16	18 lbs.

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID 2.6" OD

4	X	6	10008424	80	36	36 lbs.
W	Х	L	Part #	Per Roll	Carton	Weight
	Size			Labels	Rolls/	Carton

^{^^} Labels are equipped with black mark sensing

Z-Ultimate 4000T

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

0.75" ID 2.6" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	10010073^^	520	12	12 lbs.
3	Х	3	10008551^^	230	12	16 lbs.

^{^^} Labels are equipped with black mark sensing



For use with the Zebra PA/PT printer

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

1" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.25	Х	1.25	800322-125*	260	12	2 lbs.
4	Х	3	800340-305*	110	12	4 lbs.

^{*} Perforation between labels

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	Х	1	84932	270	6	2 lbs.

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

1" ID 2" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1	82414	260	12	3 lbs.
3	Х	3	82413	90	12	5 lbs.